



3 Axes 2D Wire Bending Machine 50m/Min 380V Automatic Forming Machine Multi Function

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: J2D-2-6
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 100 Sets per Month



Product Specification

- Function: Forming + Round Hole Making
- Control System: Servo Motor, Planetary Reducer
- Applicable Industries: Wire Processing And Forming
- Wire Size: 1.5*20 2*25
- Warranty: 1 Year
- Wire Feeding Speed: 50 M/MIN)
- Highlight: **3 Axes 2D Wire Bending Machine,
2D Wire Bending Machine 50m/min,
380V Automatic Forming Machine**

Product Description

Automatic forming machine multi-function forming and punching U-shaped all-in-one machine

Product Description

2D forming machine is a plane 2D wire bending forming machine. The forming process of wire shapes with different specifications can be realized through various transformations of molds. There are servo feeding + hydraulic cut-off combination, servo feeding + servo cut-off and full servo combination, which can be selected according to the size of actual products to achieve the highest cost performance. According to the needs of products, chamfering, arc punching, punching and other functions can also be added to achieve wider application and use.

Multifunctional, achieve dual functions. Molding, punching, one finish

Forming + punching U-shaped integrated machine

Widely used in all walks of life

Technical parameter of 2D molding machine

Model	J2D-2-6	J2D-2-8	J2D-2-10	JS2D-2-6
Number axes	3	3	3	4
Processing line diameter (MM)	Hard wire ϕ 2-4	Hard wire ϕ 2-6	Hard wire ϕ 2-8	Hard wire ϕ 2-4
	Flexible wire ϕ 2-6	Flexible wire ϕ 2-8	Flexible wire ϕ 2-10	Flexible wire ϕ 2-6
Number of delivery wheels (Group)	3	3	3	3
Control system	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01
Maximum wire speed (M/MIN)	80	70	60	90
Movement direction	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized
Wire delivery accuracy (mm)	± 0.1	± 0.1	± 0.1	± 0.1
Solenoid valve and quantity	nothing	nothing	nothing	3
Input power	380V, 50/60HZ	380V, 50/60HZ	380V, 50/60HZ	380V, 50/60HZ

Export packaging of flat iron forming machine



≡, Applicable to various industries

(1) Auto parts: production of child seat frame, door lock pull rod, snake spring, including one snake and two snakes, auto cathead spring, sun visor rail frame, auto seat wire, motorcycle parts, bicycle parts, lift car, etc.
(2)Daily hardware: kitchen display rack, storage rack, egg dispenser, cabinet basket, refrigerator rack, bathroom display rack, etc.

Product Application Display

Flat iron hook



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China