




## Lampshade Automatic Ring Making Machine Hardware Ring Manufacturing Machine

### Our Product Introduction


#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JQ2-8MM
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiatio
- Supply Ability: 100 Sets per Month



#### Product Specification

- Function: Wire Circle Forming, Making, looping
- Control System: PLC Display Screen, Servo Motor
- Applicable Industries: Lampshade, Fan Net Cover, Commodity Shelf, Flower Rack,
- Wire Size:  $\varnothing 2-6\text{mm}$
- Warranty: 1 Year
- Advantage: High Efficient Simple Operation
- Port: Shenzhen ,China
- Control: Numerical Control
- Voltage: 380V/50HZ
- Highlight: Lampshade Automatic Ring Making Machine, CE Automatic Ring Making Machine, Hardware Ring Manufacturing Machine



## Product Description

### Automatic circle machine for lampshade hardware

#### Performance characteristics

1. Servo feeding - fast and accurate, speed adjustable. Oil pressure cut-off - large force, easy and powerful line cutting.



2. PLC programming + man-machine interface display, easy to operate and learn. High end servo + planetary reducer.



3. Precision CNC turning and milling. Gear, shaft, wire feeding wheel and other finishing, special hardening, surface grinding and polishing, high hardness, smooth and wear-resistant.

**齿轮坚硬，有韧性，光滑，精加工**  
**gear is hard, tough, smooth and finish machined**



**送线轮 光洁，耐磨，多线槽，精加工**  
**wire feeding wheel is smooth, wear-resistant,**  
**multi trunking and finish machining**



4. Omron encoder, high pulse, accurate feeding and fast response.

**欧姆龙高脉冲编码器**  
**Omron high pulse encoder**




Technical parameters of servo circle machine

Model	JQ2-6MM	JQ2-8MM	JQ2-10MM
Wire diameter range (MM)	Hard wire2-4 lexible cord2-6	Hard wire2-6 Flexible cord2-8	Hard wire2-8 Flexible cord2-10
Servo device	1KW+5B	1.5KW+5B	2.3KW+10B
Hydraulic device	1.5KW	2.2KW	2.2KW
Maximum wire feeding speed(M/MIN)	70	60	50
Circle diameter range (MM)	50-800	50-800	50-800
Circle diameter Tolerance MM	±0.3	±0.3	±0.3
Axis	2	2	4
Dimension(CM)	145*75*142	145*75*142	175*75*142

It is widely used in all walks of life, especially in the lighting industry

**Sample display circle**



Lampshade



**Dongguan Jinghongxiang Automation Equipment Co., Ltd.**



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China